

K Series



FEATURES

- BODY:** – Made of extruded brass.
- SHACKLE:** – Made of carbon nitrate hardened and chrome plated steel.
– Available in 5 shackle versions: normal, long, extra long, protected and adjustable shackle.
- OPENING / LOCKING:** – Automatic double locking system.
– Cylinder with pick proof system.
– AISI 316 stainless steel springs.
- KEYS:** – Standard key.
– Supplied with 2 keys.
– K50 padlock's key is compatible with: D Series cylinders; Inox50, Inox Cable, Max50, Armoured Series and U Series padlocks; B5/50 rim lock; CS125 and

SERVICES

- Master keying service.
- Keying alike service.
- Certain key number service.
- Unique key solution.
- Laser engraving service.


Continued on
next page



K Series

DIMENSIONS

Ref.	Cod.	IPL	A	B	C	D	L		Pack	Uni
STANDARD SHACKLE										
K15	011500	6	17,5	17	11	3	8,2			12
K15	011501	6	17,5	17	11	3	8,2			6
K15 KA	011505	6	17,5	17	11	3	8,2			12
K15 KN	011507	6	17,5	17	11	3	8,2			12
K20	012000	6	21	21,5	13,5	3,5	10,5			12
K20	012001	6	21	21,5	13,5	3,5	10,5			6
K20 KA	012005	6	21	21,5	13,5	3,5	10,5			12
K20 KN	012007	6	21	21,5	13,5	3,5	10,5			12
K20 (Pack 3)	012003	6	21	21,5	13,5	3,5	10,5			6
K25	012500	6	25	22,5	17	4	13			12
K25	012501	6	25	22,5	17	4	13			6
K25 KA	012505	6	25	22,5	17	4	13			12
K25 KN	012507	6	25	22,5	17	4	13			12
K30	013000	6	30	27	17,5	5	15,5			12
K30	013001	6	30	27	17,5	5	15,5			6
K30 KA	013005	6	30	27	17,5	5	15,5			12
K30 KN	013007	6	30	27	17,5	5	15,5			12
K30 (Pack 3)	013003	6	30	27	17,5	5	15,5			6
K40	014000	6	40	32	22,5	6	23			12
K40	014001	6	40	32	22,5	6	23			6
K40 KA	014005	6	40	32	22,5	6	23			12
K40 KN	014007	6	40	32	22,5	6	23			12
K50	015000	7	50	40	27,5	8	29			6
K50	015001	7	50	40	27,5	8	29			6
K50 KA	015005	7	50	40	27,5	8	29			6
K50 KN	015007	7	50	40	27,5	8	29			6
K60	016000	7	60	46	33	9,5	35,5			6
K60	016001	7	60	46	33	9,5	35,5			6
K60 KA	016005	7	60	46	33	9,5	35,5			6
K60 KN	016007	7	60	46	33	9,5	35,5			6
K70	017000	8	70	50	41	11,2	40,5			6
K70 KA	017005	8	70	50	41	11,2	40,5			6
K70 KN	017007	8	70	50	41	11,2	40,5			6
LONG SHACKLE										
K20AL	012010	6	21	21,5	23,5	3,5	10,5			12
K20AL	012011	6	21	21,5	23,5	3,5	10,5			6
K20AL KA	012015	6	21	21,5	23,5	3,5	10,5			12
K20AL KN	012017	6	21	21,5	23,5	3,5	10,5			12
K25AL	012510	6	25	22,5	25	4	13			12
K25AL	012511	6	25	22,5	25	4	13			6
K25AL KA	012515	6	25	22,5	25	4	13			12
K25AL KN	012517	6	25	22,5	25	4	13			12
K30AL	013010	6	30	27	32	5	15,5			12
K30AL	013011	6	30	27	32	5	15,5			6
K30AL KA	013015	6	30	27	32	5	15,5			12
K30AL KN	013017	6	30	27	32	5	15,5			12
K40AL	014010	6	40	32	43	6	23			12



Ref.	Cod.	IPL	A	B	C	D	L		Pack	Uni
K40AL	014011	6	40	32	43	6	23			6
K40AL KA	014015	6	40	32	43	6	23			12
K40AL KN	014017	6	40	32	43	6	23			12
K50AL	015010	7	50	40	49	8	29			6
K50AL	015011	7	50	40	49	8	29			6
K50AL KA	015015	7	50	40	49	8	29			6
K50AL KN	015017	7	50	40	49	8	29			6
K60AL	016010	7	60	46	51	9,5	35,5			6
K60AL	016011	7	60	46	51	9,5	35,5			6
K60AL KA	016015	7	60	46	51	9,5	35,5			6
K60AL KN	016017	7	60	46	51	9,5	35,5			6
EXTRA LONG SHACKLE										
K30AEL	013020	6	30	27	50	5	15,5			6
K30AEL	013021	6	30	27	50	5	15,5			6
K30AEL KA	013025	6	30	27	50	5	15,5			6
K30AEL KN	013027	6	30	27	50	5	15,5			6
K40AEL	014020	6	40	32	65	6	23			6
K40AEL	014021	6	40	32	65	6	23			6
K40AEL KA	014025	6	40	32	65	6	23			6
K40AEL KN	014027	6	40	32	65	6	23			6
K50AEL	015020	7	50	40	80	8	29			6
K50AEL	015021	7	50	40	80	8	29			6
K50AEL KA	015025	7	50	40	80	8	29			6
K50AEL KN	015027	7	50	40	80	8	29			6

Continued on
next page

K Series

DIMENSIONS

Ref.	Cod.	IPL	A	B	C	D	L		Pack	Uni
PROTECTED SHACKLE										
K40AP	014040	7	40	32	13,5	6	10			12
K40AP	014041	7	40	32	13,5	6	10			12
K40AP KA	014045	7	40	32	13,5	6	10			12
K40AP KN	014047	7	40	32	13,5	6	10			12
K50AP	015040	8	50	40	17	8	13			6
K50AP	015041	8	50	40	17	8	13			6
K50AP KA	015045	8	50	40	17	8	13			6
K50AP KN	015047	8	50	40	17	8	13			6
K50AP Uso general	015049	8	50	40	17	8	13			6
K60AP	016040	8	60	46	23	9,5	17			6
K60AP	016041	8	60	46	23	9,5	17			6
K60AP KA	016045	8	60	46	23	9,5	17			6
K60AP KN	016047	8	60	46	23	9,5	17			6
ADJUSTABLE SHACKLE										
K50AD	015061	7	50	40	AD	8	29			6
K50AD KA	015065	7	50	40	AD	8	29			6